



TE12 SERIES EDUCATION

COLLABORATION FOR EDUCATION AND ENTERPRISE MADE SIMPLE





TE12 SERIES

COLLABORATION FOR EDUCATION AND ENTERPRISE MADE SIMPLE

Inspiration can strike at any moment, so our teachers and entrepreneurs need the right display technology to ensure performance, accuracy, and resilience to assist in realising their dreams and ideas.

The TE12 SERIES from iiyama inspires all possibilities in all stages for education, start-up and large-scale businesses. With our hybrid interactive solution, including Android 11 and optional OPS Slot PC features, you can smoothly annotate and control any content on the display from any source.

You can be sure that no matter what your Interactive aspiration, iiyama has the simplified solution just for you, this is why iiyama is the trusted Interactive Display brand for many of the world's largest organisations in education and business alike.

Boasting a new 4K Interface with User Profiles for simple login and access to your very own bespoke menu and Cloud Drives, the TE12 SERIES becomes a highly personalised device within a busy hybrid environment for multiple users.

With sizes from 55", 65", 75", 86" and 98" everyone will benefit from the flexibility and precision that the TE12 SERIES delivers.

TE12 SERIES

AMAZING, EASY-TO-USE FEATURES YOU CAN EMPLOY EVERYDAY



PURETOUCH-IR

Delivers 1mm Touch accuracy for the smoothest and fastest annotation with 40pt infrared Touch technology.



STANDALONE SOLUTION

Slide-in a OPS Slot PC and unlock all of the control, security and flexibility of Windows IoT, including the entirety of the Microsoft eco system.





iiWARE 10

Features Note, Browser, Cloud Drive and the option for you to sideload relevant apps you require for your organisation.



IIYAMA SHARE

Supports AirPlay, Chromecast and Miracast to easily share, stream and edit content from your device to your TE12 SERIES and vice versa, back to your notebook, tablet or phone.



SECURITY

Utilise Screen lock and USB passcode protection to ensure user security and the new Clean app will clear all data and passwords used.



USB-C CONNECTION

Supports the latest in video, audio and Touch signal via a single port and even charges your device with 65W power delivery.



TE12 SERIES

SPECIFICATIONS AND ACCESSORIES

















TE5512MIS-B1AG | TE6512MIS-B1AG | TE7512MIS-B1AG | TE8612MIS-B1AG | TE9812MIS-B1AG

Diagonal **55"** (138.8cm) | **65"** (163.9cm) | **75"** (189.3cm) | **86"** (217.4cm) | **98"** (247.7cm)

Panel type IPS, AG coated glass Resolution 3840x2160 (4K UHD) Panel brightness (cd/m²) 350 Light transmittance 88% 1200:1 **Static Contrast** 24/7 Operation time Orientation Landscape

Touch technology PureTouch-IR, 40 Touch points, 5pt Writing

Video IN HDMI x3 (2.0), USB-C x1 (3.1, 65W charging, Touch)

Video OUT HDMI x1 (2.0) MiniJack Audio IN

Audio OUT S/PDIF (optical), MiniJack, Speakers 2x 16W

RAM/ROM 4GB/32GB

Controls RS232c x1 (DSUB 9pin), RJ45 (LAN) x2 (Auto switch for PC & Android, 1000MB), USB touch x2

USB Ports 5x (front side: 2x 3.0, 1x USB-C 3.1 (65W PD), right side: 2x 3.0)

55" 1269 x 773 x 86mm / 26.8kg **65**" 1489 x 897 x 86mm / 38kg **75**" 1709 x 1020 x 86mm / 50.8kg **86**" 1957 x 1159 x 86mm / 64.4kg **98**" 2245 x 1323 x 91mm / 26.8kg Dimensions (w x h x d) / Weigh

VESA (mm) 55" 400x200 65" 600x400 75" 800x400 86"- 98" 800x600

Features iiWare 10 (Android 11 OS), pre-installed apps iiyama Share & EShare, WiFi module slot (OWM002), OPC Slot, Ambient Light Sensor,

4 dual function Touch pens, Over The Air (OTA) updates, Mounting bracket for NUC, Mounting bracket for webcam

OPS PC (optional) OPC51103BC, OPC5801BC

Wall Mount (optional) 55" MD 052B1000, 65"/75" MD 052B2000, 86"/98" MD 052B2010, 98" MD 052B2040, 65"/75"/86" MD 052W7150K, 98" MD 052W155K,

soundbar MD 052B7285

5- year standard warranty in selected regions Warranty