



An Intel® i5 OPS slot PC with Windows® 11 IoT Enterprise and TPM 2.0 (Trusted Platform Module)

This mini OPS PC with Intel® Core™ i5 inside turns your iiyama (interactive) large format display into a stand-alone solution. It comes equipped with a powerful Intel® processor with integrated Ultra HD graphics and a fast SSD drive. No hassle with cables and having to mount a PC at the back of the monitor or on a floor lift. The OPC51104BC-1 is also very quiet with a noise level below 34dB at 100% CPU load at 1meter distance. Simply slide in the iiyama OPS slot PC and get started right away.

01 DEVICE


| | |
|---------------------|---|
| Type | OPS slot PC |
| CPU | Intel® Core™ i5-11300H, TPM 2.0 (Trusted Platform Module) |
| RAM | 8GB DDR4 |
| SSD | 256GB M.2 |
| Graphics | Integrated Intel® Iris® Xe |
| Chipset | Intel® |
| Sound card | Integrated High Definition Audio Stereo |
| Network | 10/100/1000M Adapter |
| WiFi | 802.11 a/b/g/n/ac/ax (M.2 NVME) |
| Bluetooth | 4 ~ 5.2 |
| Operating system | Windows 11 IoT Enterprise |
| LAN (RJ45) | x1 |
| USB | 3.0 x2, 2.0 x2, 3.2 (Type C) x1 |
| HDMI Out | x1 (2.0) |
| Headphone connector | yes |
| Microphone In | x1 (mic and headset combo) |

02 POWER MANAGEMENT

| | |
|-------------|----------------------------|
| Power usage | 95W typical, 0.5W stand by |
|-------------|----------------------------|

03 DIMENSIONS / WEIGHT

| | |
|------------------------------|------------------|
| Product dimensions W x H x D | 180 x 30 x 119mm |
| Weight (without box) | 1kg |
| EAN code | 4948570033171 |



04 ENVIRONMENTAL CONDITIONS

| | |
|-----------------------------|---------------|
| Operation temperature range | 0°C - 45°C |
| Operation humidity | 5% - 95% |
| Storage temperature range | - 10°C - 50°C |
| Storage humidity | 5% - 95% |

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED