



Kontrolišite igrama sa 240Hz GB2590HSU Gold Phoenix monitorom

Gold Phoenix je vrhunski izbor monitora koji Vam omogućava da u potpunosti iskoristite svoj igrački potencijal. Prepun najnovijih tehnologija, uključujući FreeSync Premium, 24,5-inčni Gold Phoenix ima frekvenciju osvežavanja od 240Hz i zapanjujuće vreme odziva od 0,4 ms MPRT, pazeći da vas oprema nikada neće zadržati.



240Hz & 0.4ms MPRT

Tehnologija brzog IPS panela od 240 Hz garantuje visoku vernost prikaza, živopisne scene bojnog polja koje se prikazuju sa izuzetnom preciznošću boja i obezbeđuje zavidljivo vreme odziva na pokretnoj slici (MPRT) od 0,4 ms.



FreeSync™ Premium Tehnologija

Ovaj monitor garantuje nisku ulaznu latenciju i nizak framerate, čime se preventiraju bilo kakvi prekidi na bilo kojem framerate-u.

01 KARAKTERISTIKE EKRANA

| | |
|-----------------------------|---|
| Dijagonala | 24.5", 62.2cm |
| Panel | Fast IPS, mat završna obrada |
| Osnovna rezolucija | 1920 x 1080 @240Hz (2.1 megapixel Full HD) |
| Osnovna rezolucija | 240Hz |
| Format ekrana | 16:9 |
| Osvetljenje | 400 cd/m ² |
| Statički kontrast | 1000:1 |
| Napredni kontrast | 80M:1 |
| Vreme odziva (MPRT) | 0.4ms |
| Zona gledanja | horizontalno/vertikalno: 178°/178°, desno/levo: 89°/89°, gore/dole: 89°/89° |
| Podržane boje | 16.7miliona 8bit |
| Horizontalna sinhronizacija | 31 - 292KHz |
| Vidljiva površina Š x V | 543.7 x 302.6mm, 21.4 x 11.9" |
| Razmak piksela | 0.283mm |
| Boja | mat, crna |

02 KONEKTORI / KONTROLE

| | |
|-------------------------|---|
| Ulaz signala | HDMI x1 (v.2.0 max. 1920 x 1080 @240Hz) DisplayPort x1 (v.1.4 max. 1920 x 1080 @240Hz) |
| USB HUB | x2 (v.3.2 (Gen 1, 5Gbit; DC5V, 900mA)) |
| HDCP | da |
| Priključak za slušalice | da |

03 KARAKTERISTIKE

| | |
|-------------------------------------|---|
| Smanjeno emitovanje plave svetlosti | da |
| Bez treperenja | da |
| Adaptive Sync podrška | FreeSync Premium - 1920 x 1080 @48-240Hz |
| HDR | HDR400 |
| OSD jezici | EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL |
| Kontrolni tasteri | Uključivanje, meni/ izbor, +/ jačina zvuka, -/ i -stil, izlaz/ EKO, izbor ulaza |
| Korisničke kontrole | podešavanje slike (kontrast, osvetljenost, overdrive, ACR, ECO, redukcija plavog svetla, crni tjuner, zasićenost boje, MBR, gama), izbor ulaza, podešavanje zvuka (jačina zvuka, isključenje zvuka), čuvanje korisničkih podešavanja, podešavanja boje (temperatura boje, 6-Osa, čuvanje korisničkih podešavanja), podešavanje slike (i-Style boja, tehnologija X-Res, oštra i meka, RGB opseg, podešavanje video režima), jezik, meni za podešavanje (položaj OSD H., položaj OSD V., rotacija menija na ekranu, OSD vremensko ograničenje, logo pri pokretanju, AMD FreeSync Premium, LED), prikaz informacija, resetovanje |
| Zvučnici | 2 x 2W |
| Pogodnost | Kensington-lock™ priprema, DDC2B, Mac OSX |

04 MEHANIČKI

| | |
|------------------------------|---------------------------------|
| Podešavanje položaja prikaza | visina, okret (rotacija), nagib |
| Podešavanje visine | 150mm |
| Rotacija (PIVOT funkcija) | 90° |
| Ugao nagiba | 123° gore; 5° dole |

VESA montiranje 100 x 100mm

Sistem upravljanja kablovima da

05 UKLJUČENI DODACI

Kablovi Strujni kabl, USB, HDMI, DP

Ostalo kratko uputstvo, bezbednosni vodič

06 UPRAVLJANJE NAPAJANJEM

Napajanje interna

Potrošnja energije % 1W tipično, 0.5W stand by, 0.5W isključen

07 ODRŽIVOST

Propisi CE, TÜV-Bauart, EAC, PSE, RoHS podrška, ErP, WEEE, VCCI, REACH, UKCA

Klasa energetske efikasnosti (Regulation (EU) 2017/1369) F

REACH SVHC iznad 0.1%: Olova

08 DIMENZIJE / TEŽINA

Dimenzije proizvoda Š x V x D 557.5 x 382.5 (532.5) x 252mm

Dimenzije kutije Š x V x D 627 x 411 x 162mm

Težina (bez kutije) 4.7kg

Težina (sa kutijom) 6.4kg

EAN kod 4948570121922

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IYYAMA CORPORATION. ALL RIGHTS RESERVED