



Black Hawk– udite u igru

Bez obzira da li ste novajlija ili stari vuk u svetu igara, 27" Black Hawk G-MASTER G2730HSU je savršen pratilac na Vašoj strani. Sposoban za prikaz Full HD slika pri brzini osvežavanja od 75 Hz. Naoružan funkcijom Black Tuner i FreeSync tehnologijom sa zadivljujućim vremenom odziva od 1 ms, Black Hawk garantuje da ćete videti svaki sitni detalj čak i u zasenjenim delovima ekrana i moći ćete da odgovorite na promenljivu situaciju u trenu. Podržane sa trostrukim ulazom (VGA, HDMI, DisplayPort), zvučnici, priključak za slušalice i USB čvorište. Zato ostanite pod kontrolom, budite mirni i udite u igru! Ako je 27" preveliko za Vas, pogledajte 24.5" Black Hawk G2530HSU.



AMD FreeSync™ Tehnologija

AMD FreeSync™ tehnologija označava kraj igranju sa iseckanim frejmovima i donosi tečni gejملهj bez artefakta pri gotovo bilo kom frejmrejtju.



1ms

Brzo vreme odziva ključno je za glatko igranje. Ono smanjuje ghosting i razmazivanje slike, a korisniku pruža bogato iskustvo uz poboljšane performanse.

01 KARAKTERISTIKE EKRANA

Dijagonala	27", 68.6cm
Panel	TN LED, mat finiš
Osnovna rezolucija	1920 x 1080 @75Hz (HDMI&DisplayPort, 2.1 megapixel Full HD)
Osnovna rezolucija	75Hz
Format ekrana	16:9
Osvetljenje	300 cd/m ²
Statički kontrast	1000:1
Napredni kontrast	80M:1
Vreme odziva (GTG)	1ms
Zona gledanja	horizontalno/vertikalno: 170°/160°, desno/levo: 85°/85°, gore/dole: 80°/80°
Podržane boje	16.7mln (sRGB: 99%; NTSC: 72%)
Horizontalna sinhronizacija	30 - 83KHz
Vidljiva površina Š x V	597.6 x 336.15mm, 23.5 x 13.2"
Razmak piksela	0.311mm
Boja	mat

02 KONEKTORI / KONTROLE

Ulaz signala	VGA x1 HDMI x1 (v.1.4) DisplayPort x1 (v.1.2)
USB HUB	x2 (v.2.0)
HDCP	da
Priključak za slušalice	da

03 KARAKTERISTIKE

Smanjeno emitovanje plave svetlosti	da
Bez treperenja	da
Adaptive Sync podrška	HDMI & DP: 1920 x 1080 @40-75Hz
OSD jezici	EN, DE, FR, ES, IT, CN, RU, JP, CZ, NL, PL
Kontrolni tasteri	Power, Menu/ Select, Scroll down/ Volume, Scroll up/ ECO Mode, Exit, Input
Korisničke kontrole	podešavanje slike (kontrast, osvetljenje, OverDrive, ACR, ECO, reduktor plave svetlosti, crni tuner, zasićenje boje, gama), odabir ulaza, podešavanje zvuka (jačina zvuka, nem, digitalni zvuk), snimanje korisničkih podešavanja, podešavanje boje, ručno podešavanje slike (boja i oštrina i-Style, raspon HDMI RGB, podešavanje video režima, geometrija (automatsko podešavanje, pozicija H., pozicija V., sat, faza), jezik, meni podešavanja (OSD položaj, isteklo vrijeme OSD-a, logo pri pokretanju, FreeSync), prikaz informacija, reset
Zvučnici	2 x 2W
Pogodnost	Kensington-lock™ priprema, DDC2B, Mac OSX

04 MEHANIČKI

Podešavanje položaja prikaza	nagib
Ugao nagiba	22° gore; 5° dole
VESA montiranje	100 x 100mm

05 UKLJUČENI DODACI

Kablovi

Strujni kabl, USB, HDMI

Ostalo

kratko uputstvo, bezbednosni vodič

06 UPRAVLJANJE NAPAJANJEM

Napajanje

interna

Potrošnja energije

% 1W tipično, 0.3W stand by, 0.27W isključen

07 ODRŽIVOST

Propisi

CE, TÜV-GS, EAC, RoHS podrška, ErP, WEEE, REACH, UKCA

Klasa energetske efikasnosti (Regulation (EU) 2017/1369)

E

REACH SVHC

iznad 0.1%: Olova

08 DIMENZIJE / TEŽINA

Dimenzije proizvoda Š x V x D


613.5 x 440.5 x 197mm

Težina (bez kutije)

5.3kg

EAN kod

4948570115365



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED

28.04.2024 04:53:45