



Oslobodite svoj puni potencijal za igranje uz Fast IPS GB2870UHSU Red Eagle

Dobijte konkurentsku prednost koja vam je potrebna da oslobodite svoj puni potencijal igranja uz 28" 4K (3840x2160) Red Eagle koji nudi zavidljivo MPRT od 1 ms i brzinu osvežavanja od 150 Hz. Naoružani FreeSync Premium-om, možete donositi odluke u deliću sekunde i zaboraviti na probleme sa zamućivanjem. Mogućnost podešavanja osvetljenosti i tamnih nijansi pomoću Black Tunera pruža bolje performanse gledanja u zasenjenim područjima, a tehnologija Fast IPS panela garantuje vrhunski kvalitet slike. Zahvaljujući postolju podesivom po visini, lako možete podesiti položaj ekrana prema vašim željama kako biste osigurali udobnost tokom maratonskih sesija igara.



FreeSync™ Premium Tehnologija

Ovaj monitor garantuje nisku ulaznu latenciju i nizak framerate, čime se preventiraju bilo kakvi prekidi na bilo kojem framerate-u.



HDMI 2.1

Igrajte lakše video igrice nego ikada ranije. HDMI 2.1 podržava niz viših video rezolucija i brzina osvežavanja. Povećani propusni opseg omogućava dinamički HDR sa 4K120 i budućim HDR standardima, što rezultira fluidnijim i detaljnijim iskustvom igranja.

01 KARAKTERISTIKE EKRANA

Dijagonala	28", 71 cm
Panel	Fast IPS, mat završna obrada
Osnovna rezolucija	3840 x 2160 @150Hz (8.3 megapixel 4K UHD)
Osnovna rezolucija	150Hz
Format ekrana	16:9
Osvetljenje	400 cd/m ²
Statički kontrast	1000:1
Napredni kontrast	80M:1
Vreme odziva (MPRT)	1ms
Zona gledanja	horizontalno/vertikalno: 178°/178°, desno/levo: 89°/89°, gore/dole: 89°/89°
Podržane boje	16.7miliona 8bit
Horizontalna sinhronizacija	30 - 320KHz
Vidljiva površina Š x V	620.9 x 341.3mm, 24.4 x 13.4"
Razmak piksela	0.16mm
Boja	mat, crna

02 KONEKTORI / KONTROLE

Ulaz signala	HDMI x1 (v.2.1, max. 3840 x 2160 @150Hz) DisplayPort x1 (v.1.4, max. 3840 x 2160 @150Hz)
USB HUB	x3 (v.3.2 (Gen 1, 5Gbit; DC5V, 900mA))
HDCP	da
Priključak za slušalice	da

03 KARAKTERISTIKE

Smanjeno emitovanje plave svetlosti	da
Bez treperenja	da
Adaptive Sync podrška	HDMI & DP: 3840 x 2160 @48-150Hz
HDR	400
OSD jezici	EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL
Kontrolni tasteri	Uključivanje, meni/ izbor, +/ jačina zvuka, -/ i -stil, izlaz/ EKO, izbor ulaza
Korisničke kontrole	podešavanje slike (kontrast, osvetljenost, overdrive, ACR, ECO, reduktor plavog svetla, crni tjuner, zasićenost boja, MBR, AMD FreeSync Premium), izbor ulaza, podešavanje zvuka (jačina zvuka, isključivanje zvuka), čuvanje korisničkih podešavanja, podešavanja boje (temperatura boje, 6-osovina, korisnička podešavanja, gama), podešavanje slike (i-Style boja, Ks-Res tehnologija, oštro i meko, RGB opseg, režim direktne vožnje, podešavanje video režima), jezik, meni za podešavanje (OSD H. pozicija, OSD V. pozicija, OSD rotacija, OSD time out, logo otvaranja, LED), informacije o ekranu, resetovanje
Zvučnici	2 x 2W
Pogodnost	Kensington-lock™ priprema, DDC2B, Mac OSX

04 MEHANIČKI

Podešavanje položaja prikaza	visina, nagib, pivot (rotacija u obe strane)
Podešavanje visine	130mm
Rotacija (PIVOT funkcija)	90°
Ugao nagiba	18° gore; 3° dole

VESA montiranje 100 x 100mm

Sistem upravljanja kablovima da

05 UKLJUČENI DODACI

Kablovi Strujni kabl, USB, HDMI, DP

Ostalo kratko uputstvo, bezbednosni vodič

06 UPRAVLJANJE NAPAJANJEM

Napajanje interna

Potrošnja energije % 1W tipično, 0.5W stand by, 0.5W isključen

07 ODRŽIVOST

Propisi CE, TÜV-Bauart, EAC, PSE, RoHS podrška, ErP, WEEE, VCCI, REACH, UKCA

Klasa energetske efikasnosti (Regulation (EU) 2017/1369) G


REACH SVHC iznad 0.1%: Olova

08 DIMENZIJE / TEŽINA

Dimenzije proizvoda Š x V x D 636.5 x 413 (543) x 256mm

Težina (bez kutije) 6.9kg

EAN kod 4948570118687



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IYAMA CORPORATION. ALL RIGHTS RESERVED